

To: 'Ryan.William@epamail.epa.gov'[Ryan.William@epamail.epa.gov]
From: COTHERN, SHAYNE (DNR)
Sent: Wed 11/28/2012 4:53:09 PM
Subject: RE: Pontoon Removal Proposal adjacent to Bremerton Gasworks Site

We haven't heard anything since early September when Local Land Manager forwarded to Jason Warren of Thompson Drilling guidance on how to permit such an activity. He has some hurdles to get past so unsure how far out this activity will occur. Will try to remember to forward on any information on progress but good to check in with us from time to time.

Sorry to hear negotiations are taking so long. Any progress with Emergency Action or is this also delayed as part of RI/FS negotiations?

Good to hear from you-keep in touch.

Shayne Cothorn, Environmental Specialist
Dept. of Natural Resources
(360) 902-1064

From: Ryan.William@epamail.epa.gov [mailto:Ryan.William@epamail.epa.gov]
Sent: Tuesday, November 27, 2012 3:03 PM
To: COTHERN, SHAYNE (DNR)
Subject: RE: Pontoon Removal Proposal adjacent to Bremerton Gasworks Site

Hi Shayne-
Just checking to see what, if anything, is happening with this proposed activity. Any update?

We continue to negotiate with Cascade NG related to the RI/FS work. Hopefully we will get to the end soon. It's taken longer than expected.

Bill Ryan
U.S. EPA Region 10
1200 Sixth Avenue, Suite 900 (ECL-113)
Seattle, WA 98101
Phone: (206) 553-8561
Toll Free: (800) 424-4372, ext 8561
FAX : (206) 553-0124

▼ "COTHERN, SHAYNE \DNR\" ---08/07/2012 02:38:06 PM---Bill, I am DNR's current Site Manager for Bremerton Gasworks Site and have been working with Kathy t

From: "COTHERN, SHAYNE \DNR\" <SHAYNE.COTHERN@dnr.wa.gov>
To: William Ryan/R10/USEPA/US@EPA
Date: 08/07/2012 02:38 PM
Subject: RE: Pontoon Removal Proposal adjacent to Bremerton Gasworks Site

Bill,

I am DNR's current Site Manager for Bremerton Gasworks Site and have been working with Kathy to review Early Actions at the site. DNR manages SOAL impacted by these efforts. We also have activities occurring on and/or adjacent to the site that we manage-we want to continue to work closely with you and Kathy to ensure that we do not permit activities in this area that would

negatively impact your investigation and/or cleanup.

There is currently a proposal to remove pontoons adjacent to the Sesko Property. These pontoons have been an eyesore and negative impact to nearshore for quite a time now and Mrs. Sesko has not been able to remove. Previous plans to remove through Army operations fell through due to budget shortfalls.

Mrs. Sesko has recently assigned ownership of these pontoons to Thompson Pileremoving so they could scrap. Thompson is now contacting WDFW for an HPA for these actions. WDFW has contacted DNR to identify concerns and I in-turn am contacting EPA before we provide a formal response.

Kathy and I have discussed. The main concern identified to date is to ensure that removal efforts do not impact sampling efforts. Future investigation is focused on PAHs not metals. We will work with WDFW to ensure BMPs are in place to minimize impacts from operation but wanted to know if you wanted to feed into this discussion.

Please give me a call so we can discuss further. We hope to get back to WDFW in next week.

Thank you for your consideration,

Shayne Cothorn
DNR-Aquatics Program
Environmental Specialist
Work 360-902-1064
Cell (b) (6)
Shayne.Cothorn@dnr.wa.gov

From: Kathy Parker [<mailto:Parker.Kathy@epamail.epa.gov>]
Sent: Tue 8/7/2012 1:15 PM
To: COTHERN, SHAYNE (DNR)
Cc: William Ryan
Subject: Bill Ryan contact

Bill's contact:

Bill Ryan
ryan.william@epa.gov
U.S. EPA Region 10
1200 Sixth Avenue, Suite 900 (ECL-113)
Seattle, WA 98101
Phone: (206) 553-8561
Toll Free: (800) 424-4372, ext 8561
FAX : (206) 553-0124

Kathy Parker, On Scene Coordinator
Emergency Management Program
United States Environmental Protection Agency
Suite 900, Mail Stop ECL-116
1200 Sixth Ave, Seattle WA 98101
cell phone: (b) (6)
office phone: 206-553-0062
fax: 206-553-0175
24-hr EPA Spill Line: 206-553-1263

National Response Center - for mandatory Spill Reporting: 800-424-8802